

Annex F2

Surface Water Quality Monitoring Results

Table F2.1 Surface Water Quality Monitoring Results at DP4T

Date	Time	Weather Condition	Water Appearance	Water Condition	Water Temperature (°C)	Dissolved Oxygen (DO) (mg/L)	pH	Suspended Solids (SS) (mg/L)
7 Nov 19	14:12	Sunny		Unable to collect water sample due to insufficient flow				
15 Nov 19	14:10	Sunny		Unable to collect water sample due to insufficient flow				
21 Nov 19	14:23	Sunny		Unable to collect water sample due to insufficient flow				
28 Nov 19	14:26	Sunny		Unable to collect water sample due to insufficient flow				
					Average	-	-	-
					Min	-	-	-
					Max	-	-	-
Notes: DP4 was temporary relocated to DP4 (Future, temporary) (i.e. DP4T) as an interim discharge point from the monitoring event on 16 May 2019.								

Table F2.2 Surface Water Quality Monitoring Results at DP6

Date	Time	Weather Condition	Water Appearance	Water Condition	Water Temperature (°C)	Dissolved Oxygen (DO) (mg/L)	pH	Suspended Solids (SS) (mg/L)
7 Nov 19	14:20	Sunny		Unable to collect water sample due to insufficient flow				
15 Nov 19	14:21	Sunny		Unable to collect water sample due to insufficient flow				
21 Nov 19	14:08	Sunny		Unable to collect water sample due to insufficient flow				
28 Nov 19	14:12	Sunny		Unable to collect water sample due to insufficient flow				
					Average	-	-	-
					Min	-	-	-
					Max	-	-	-