



ANNEX F2

SURFACE WATER QUALITY MONITORING
RESULTS

TABLE F2.1 SURFACE WATER QUALITY MONITORING RESULTS AT DP3

| Date | Time | Weather Condition | Water Appearance | Water Condition | Water Temperature (°C) | Ammoniacal-nitrogen (mg/L) | COD | Suspended Solids (SS) (mg/L) | Remarks |
|------------|-------|-------------------|---|-----------------|------------------------|----------------------------|-----|------------------------------|---------|
| 8 Nov 2024 | 09:37 | Sunny | Unable to collect water sample due to insufficient flow | | | | | | |
| | | | | | Average | - | - | - | - |
| | | | | | Min | - | - | - | - |
| | | | | | Max | - | - | - | - |

TABLE F2.2 SURFACE WATER QUALITY MONITORING RESULTS AT DP4

| Date | Time | Weather Condition | Water Appearance | Water Condition | Water Temperature (°C) | Ammoniacal-nitrogen (mg/L) | COD | Suspended Solids (SS) (mg/L) | Remarks |
|------------|-------|-------------------|---|-----------------|------------------------|----------------------------|-----|------------------------------|---------|
| 8 Nov 2024 | 09:41 | Sunny | Unable to collect water sample due to insufficient flow | | | | | | |
| | | | | | Average | - | - | - | - |
| | | | | | Min | - | - | - | - |
| | | | | | Max | - | - | - | - |

TABLE F2.3 SURFACE WATER QUALITY MONITORING RESULTS AT DP6

| Date | Time | Weather Condition | Water Appearance | Water Condition | Water Temperature (°C) | Ammoniacal-nitrogen (mg/L) | COD | Suspended Solids (SS) (mg/L) | Remarks |
|------------|-------|-------------------|---|-----------------|------------------------|----------------------------|-----|------------------------------|---------|
| 8 Nov 2024 | 09:45 | Sunny | Unable to collect water sample due to insufficient flow | | | | | | |
| | | | | | Average | - | - | - | - |
| | | | | | Min | - | - | - | - |
| | | | | | Max | - | - | - | - |