



ANNEX F2

**SURFACE WATER QUALITY MONITORING
RESULTS**

TABLE F2.1 SURFACE WATER QUALITY MONITORING RESULTS AT DP3

Date	Time	Weather Condition	Water Appearance	Water Condition	Water Temperature (°C)	Ammoniacal-nitrogen (mg/L)	COD	Suspended Solids (SS) (mg/L)	Remarks		
2 Jun 2025	09:36	Cloudy	Unable to collect water sample due to insufficient flow								
					Average	-	-	-	-		
					Min	-	-	-	-		
					Max	-	-	-	-		

TABLE F2.2 SURFACE WATER QUALITY MONITORING RESULTS AT DP4

Date	Time	Weather Condition	Water Appearance	Water Condition	Water Temperature (°C)	Ammoniacal-nitrogen (mg/L)	COD	Suspended Solids (SS) (mg/L)	Remarks		
2 Jun 2025	09:40	Cloudy	Unable to collect water sample due to insufficient flow								
					Average	-	-	-	-		
					Min	-	-	-	-		
					Max	-	-	-	-		

TABLE F2.3 SURFACE WATER QUALITY MONITORING RESULTS AT DP6

Date	Time	Weather Condition	Water Appearance	Water Condition	Water Temperature (°C)	Ammoniacal-nitrogen (mg/L)	COD	Suspended Solids (SS) (mg/L)	Remarks		
2 Jun 2025	09:46	Cloudy	Unable to collect water sample due to insufficient flow								
					Average	-	-	-	-		
					Min	-	-	-	-		
					Max	-	-	-	-		