



ANNEX F1

SURFACE WATER QUALITY MONITORING
RESULTS

TABLE F1.1 SURFACE WATER QUALITY MONITORING RESULTS AT DP3

Date	Time	Weather Condition	Water Appearance	Water Condition	Water Temperature (°C)	Ammoniacal-nitrogen (mg/L)	COD	Suspended Solids (SS) (mg/L)	Remarks
5 Jan 2024	10:00	Sunny	Unable to collect water sample due to insufficient flow						
2 Feb 2024	10:05	Sunny	Unable to collect water sample due to insufficient flow						
8 Mar 2024	09:53	Sunny	Unable to collect water sample due to insufficient flow						
						Average	-	-	-
						Min	-	-	-
						Max	-	-	-

TABLE F1.2 SURFACE WATER QUALITY MONITORING RESULTS AT DP4

Date	Time	Weather Condition	Water Appearance	Water Condition	Water Temperature (°C)	Ammoniacal-nitrogen (mg/L)	COD	Suspended Solids (SS) (mg/L)	Remarks
5 Jan 2024	10:16	Sunny	Unable to collect water sample due to insufficient flow						
2 Feb 2024	10:11	Sunny	Unable to collect water sample due to insufficient flow						
8 Mar 2024	09:47	Sunny	Unable to collect water sample due to insufficient flow						
						Average	-	-	-
						Min	-	-	-
						Max	-	-	-

TABLE F1.3 SURFACE WATER QUALITY MONITORING RESULTS AT DP6

Date	Time	Weather Condition	Water Appearance	Water Condition	Water Temperature (°C)	Ammoniacal-nitrogen (mg/L)	COD	Suspended Solids (SS) (mg/L)	Remarks
5 Jan 2024	09:55	Sunny	Unable to collect water sample due to insufficient flow						
2 Feb 2024	10:15	Sunny	Unable to collect water sample due to insufficient flow						
8 Mar 2024	09:45	Sunny	Unable to collect water sample due to insufficient flow						
						Average	-	-	-
						Min	-	-	-
						Max	-	-	-