



ANNEX F1

SURFACE WATER QUALITY MONITORING
RESULTS

TABLE F1.1 SURFACE WATER QUALITY MONITORING RESULTS AT DP3

Date	Time	Weather Condition	Water Appearance	Water Condition	Water Temperature (°C)	Ammoniacal-nitrogen (mg/L)	COD (mg/L)	Suspended Solids (SS) (mg/L)	Remarks
9 Oct 2024	10:00	Cloudy	Unable to collect water sample due to insufficient flow						
8 Nov 2024	09:37	Sunny	Unable to collect water sample due to insufficient flow						
3 Dec 2024	09:29	Sunny	Unable to collect water sample due to insufficient flow						
					Average	-	-	-	-
					Min	-	-	-	-
					Max	-	-	-	-

TABLE F1.2 SURFACE WATER QUALITY MONITORING RESULTS AT DP4

Date	Time	Weather Condition	Water Appearance	Water Condition	Water Temperature (°C)	Ammoniacal-nitrogen (mg/L)	COD (mg/L)	Suspended Solids (SS) (mg/L)	Remarks
9 Oct 2024	09:55	Cloudy	Unable to collect water sample due to insufficient flow						
8 Nov 2024	09:41	Sunny	Unable to collect water sample due to insufficient flow						
3 Dec 2024	09:35	Sunny	Unable to collect water sample due to insufficient flow						
					Average	-	-	-	-
					Min	-	-	-	-
					Max	-	-	-	-

TABLE F1.3 SURFACE WATER QUALITY MONITORING RESULTS AT DP6

Date	Time	Weather Condition	Water Appearance	Water Condition	Water Temperature (°C)	Ammoniacal-nitrogen (mg/L)	COD (mg/L)	Suspended Solids (SS) (mg/L)	Remarks
9 Oct 2024	09:51	Cloudy	Unable to collect water sample due to insufficient flow						
8 Nov 2024	09:45	Sunny	Unable to collect water sample due to insufficient flow						
3 Dec 2024	09:41	Sunny	Unable to collect water sample due to insufficient flow						
					Average	-	-	-	-
					Min	-	-	-	-
					Max	-	-	-	-